



AGENCY OF HUMAN SERVICES
DEPARTMENT OF DISABILITIES, AGING AND INDEPENDENT LIVING
Division of Licensing and Protection

103 South Main Street
Waterbury VT 05671-2306
<http://www.dail.vermont.gov>
Voice/TTY (802) 871-3317
To Report Adult Abuse: (800) 564-1612
Fax (802) 871-3318

June 24, 2015

Ms. Rose Mary Mayhew, Administrator
Belaire Quality Center
35 Bel-Aire Drive
Newport, VT 05855-4953

Provider ID #: 475049

Dear Ms. Mayhew:

The Division of Licensing and Protection completed a survey at your facility on **June 23, 2015**. The purpose of the survey was to determine if your facility was in compliance with Federal participation requirements for nursing homes participating in the Medicare/Medicaid programs. This survey found that your facility was in substantial compliance with the participation requirements. Congratulations to you and your staff.

Please sign **the enclosed CMS 2567 and return** to this office by **July 4, 2015**.

Sincerely,

A handwritten signature in cursive script that reads "Pamela M. Cota, RN".

Pamela M. Cota, RN
Licensing Chief

Enclosure



DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/24/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475049	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/23/2015
NAME OF PROVIDER OR SUPPLIER BELAIRE QUALITY CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 35 BEL-AIRE DRIVE NEWPORT, VT 05855		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	INITIAL COMMENTS An unannounced onsite recertification survey was conducted by the Division of Licensing and Protection from 6/22 - 6/23/15. The facility was found to be in substantial compliance with regulatory requirements.	F 000		
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.