

Division of Licensing and Protection
HC 2 South, 280 State Drive
Waterbury VT 05671-2060
<http://www.dail.vermont.gov>
Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line (888) 700-5330
To Report Adult Abuse: (800) 564-1612

June 3, 2016

Ms. Lynnette Smith, Administrator
The Manor, Inc
577 Washington Highway
Morrisville, VT 05661-8972

Provider ID #: 475057

Dear Ms. Smith:

The Department of Public Safety completed a Life Safety Code Survey at your facility on May 11, 2016. This survey found your facility to be in Substantial Compliance with all Fire Safety and ANSI standards.

Enclosed is the Deficiency Summary Sheet, Form CMS-2567, which requires your signature in accordance with instructions noted on the form. Please return the form to this office no later than **June 13, 2016**.

If you have any questions regarding this report, please do not hesitate to contact me.

Sincerely,



Pamela M. Cota, RN
Licensing Chief

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/03/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475057	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 05/11/2016
NAME OF PROVIDER OR SUPPLIER THE MANOR, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 577 WASHINGTON HIGHWAY MORRISVILLE, VT 05661		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	INITIAL COMMENTS An unannounced onsite Life Safety Code survey was completed by the Division of Fire Safety on 5/11/16. The facility was found to be in substantial compliance with applicable Life Safety Code requirements.	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.