

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

May 27, 2016

Elizabeth Rixon, Manager
Allenwood At Pillsbury Manor
90 Allen Road
South Burlington, VT 05403-7856

Dear Ms. Rixon:

Thank you for the cooperation you gave our surveyor during the **May 25, 2016** annual survey of your facility.

Enclosed is the Residential Care Home Survey Statement indicating that your facility is in substantial compliance with the current regulatory requirements. Congratulations to you and your staff.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,



Pamela Cota, RN
Licensing Chief

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0372	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 05/25/2016
--	---	---	---

NAME OF PROVIDER OR SUPPLIER ALLENWOOD AT PILLSBURY MANOR	STREET ADDRESS, CITY, STATE, ZIP CODE 90 ALLEN ROAD SOUTH BURLINGTON, VT 05403
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

R100	Initial Comments: An unannounced onsite re-licensing survey was completed by the Division of Licensing and Protection on 5/25/16. The facility was found in substantial compliance with regulations for Level 3 Residential Care Homes.	R100		
------	--	------	--	--

Division of Licensing and Protection
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____