

Division of Licensing and Protection  
103 South Main Street, Ladd Hall  
Waterbury, VT 05671-2306  
<http://www.dail.vermont.gov>  
Voice/TTY (802) 871-3317  
To Report Adult Abuse: (800) 564-1612  
Fax (802) 871-3318

July 11, 2014

Lynne Stratton, Administrator  
Emeritus At Fillmore Pond  
300 Village Lane  
Bennington, VT 05201-9041

Provider #:

Dear Ms. Stratton:

The Division of Licensing and Protection conducted an onsite complaint investigation on **July 8, 2014**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **July 8, 2014** and there were no regulatory violations related to the complaint allegations.

Sincerely,



Pamela M. Cota, RN  
Licensing Chief

PC:jl

Enclosure

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>0310</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>07/08/2014</b>
--	---	--	---

NAME OF PROVIDER OR SUPPLIER  <b>EMERITUS AT FILLMORE POND</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>300 VILLAGE LANE BENNINGTON, VT 05201</b>
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY DR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

R100	Initial Comments:  An on-site complaint investigation was conducted by the Division of Licensing and Protection on 7/8/14. There were no findings.	R100		
------	--	------	--	--

Division of Licensing and Protection LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------