March 2, 2016

Nancy Bourne, Manager
Sterling House At Rockingham
33 Atkinson Street
Bellows Falls, VT 05101-1502

Dear Ms. Bourne:

The Division of Licensing and Protection completed a complaint investigation at your facility on **February 17, 2016**. The purpose of the investigation was to determine if your facility was in compliance with Residential Care Home Licensing Regulations. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,

Pamela M Cota RN

Pamela Cota, RN
Licensing Chief

Enclosure

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____	(X3) DATE SURVEY COMPLETED
	0609	B. WING _____	C 02/17/2016

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
STERLING HOUSE AT ROCKINGHAM	33 ATKINSON STREET BELLOWS FALLS, VT 05101

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R100	Initial Comments: An unannounced on-site complaint investigation was conducted by the Division of Licensing and Protection on 2/11/16. No regulatory violations were identified related to the Residential Care Home Licensing Regulations effective 10/3/2000.	R100		

Division of Licensing and Protection

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE   TITLE   (X6) DATE